Approved For Release 2001/09/03 : CIA-RDP78T05439A000200070046-6 **ILLEGIB** 

Approved For Release 2001/09/03 : CIA-RDP78T05439A000200070046-6

# **DECLASS REVIEW BY NIMA / DoD**

NPIC/R-68/62

25X1A 25X1A

25X1A 25X1A

ICBM LAUNCH COMPLEX, DROVYANAYA, USSR

The Drovyanaya ICBM Launch Complex, initially identified on and in the early stages of KEYHOLE photography construction, is located approximately 4 nautical miles (nm) south of the town of Drovyanaya, USSR, and 36 nm south-southwest of Chita (Figure 1).





FIGURE 1. AREA ORIENTATION MAP.

NPIC/R-68/62

The principal components of the complex identified to date are a rail-served complex support facility and a road-served launch area, both under construction. The complex is situated 17 nm south of the Trans-Siberian Railroad and adjacent to a previously existing rail spur 30 nm long. That part of this spur south of Drovyanaya is probably abandoned and now used as a roadbed (Figure 2).

25X1A 25X1A The general area was covered by KEYHOLE photography of but there was no indication that construction was about to begin. However, a small secured facility, new in appearance,



25X1D

FIGURE 2. DROVYANAYA ICBM LAUNCH COMPLEX.

NPIC/R-68/62

was observed on the photography on the west edge of Drovyanaya. This facility, cloud covered on later missions, was possibly used for initial construction support. The area was covered again on at which time construction was in progress but had not gone far enough to allow identification. Also, heavy haze and partial cloud cover hampered interpretation. SAM defenses in the area identified to date consist of two SA-2 launch sites, one north and one southeast of Chita. There is no evidence on the photography of additional launch areas. All roads and trails in the area other than those associated with the launch

## Complex Support Facility

The Complex Support Facility is located at 51-32-00N 113-01-00E, 3.1 nm south of Drovyanaya. It is served by a rail spur, under construction, which leaves the old rail spur 1.6 nm north of Drovyanaya and extends south for 5.8 nm, generally paralleling the old spur. In this spur extended to within 1.3 nm of the facility. The new spur passes by the east edge of the support facility and terminates south of it. Entrance to the facility by rail is only from the south. The set of multiple spurs serving the facility will number, when completed, at least two and possibly four spurs 3,200 feet long and 450 feet apart (Figure 3).

The shortest rail turning radius in the area appears to be about 600 feet, although the early stage of construction makes this difficult to determine. The only road access to the facility is provided by a road that connects with the old rail spur.

As of the support facility covered 425 acres and contained about 25-30 buildings. Paralleling the rail spurs are about seven buildings, the largest of which appears to be over 300 feet long. Some of the other buildings will be over 200 feet long when completed. There is no evidence of rail-through buildings. In the north portion of the facility, 15-20 barracks-

25X1D

∙25X1D

25X1D

25X1D

25X1D

complex existed in

- 3 -

#### TOP SECRET RUFF

NPIC/R-68/62




FIGURE 3. COMPLEX SUPPORT FACILITY

type buildings are under construction in a barracks area, and at least 3 buildings are visible in an administrative area which is under con-A road-served probable housing and support area of 83 acres 1.1 nm northeast of the support facility is under construction. It consists of a grid pattern of clearings for roads and about 17 buildings.

The rail-to-road transfer point will probably be located near the end of the new rail spur, but the coverage shows no indications of its existence.


25X1D

25X1D

#### Launch Area

The Launch Area is located at 51-24-30N 113-00-30E, 9.5 nm (by road) south of the Complex Support Facility. It is served by a new, good road from the north that appears to utilize the bed of the old rail spur for the last 4.5 nm. Scarring indicates that the Launch Area, now in an early stage of construction, will when completed have two pads 980 feet apart, each road served (Figure 4). Pad orientation is 20 degrees. The center service road is offset to the right. Two missile-ready buildings (one for each pad) will probably be constructed 700 feet behind the pads; scarring indicates that the two buildings will be placed at an angle to the roads serving the pads. No evidence of fencing, water intake, or drainage is visible.

A launch support area is under construction 3,100 feet northwest of the Launch Area, north of a ridge between it and the pads. Construction is in progress on at least ten buildings, nine dewhich are nearly 200 feet long.



**-** 5 **-** 25X1D

NPIC/R-68/62

REFERENCES

PHOTOGRAPHY

25X1D

MAPS OR CHARTS

ACIC. US ATC Series 200, Sheet 0201-4A, 1st cd, Oct 59, scale 1:200,000 (SECRET)

REQUIREMENT

CIA. DDI/RR/E/R-38/62 (TOP SECRET RUFF)

Air. AFIC 62-23 (TOP SECRET RUFF)

NPIC PROJECT

JN-104/62